

EDEXCEL • GCSE CHEMISTRY 1CH0

Higher Tier — Paper 2

June 2024 exam series

MARK SCHEME

Reproduced for free student revision use by Smart Edge International Ltd. Original paper © Pearson Edexcel. Not affiliated with or endorsed by Pearson Edexcel. For personal study use only — not for resale or redistribution.



Mark Scheme (Results)

Summer 2024

Pearson Edexcel GCSE
In Chemistry (1CH0)
Paper 2H

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2024

Question Paper Log Number P74426A

Publications Code 1CH0_2H_2406_MS

All the material in this publication is copyright

© Pearson Education Ltd 2024

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Question number	Answer	Additional guidance	Mark
1(a)(i)	the less stone there is, the stronger the concrete/ more stone, less strength	take 'it' to mean amount of stone	(1) AO3 1

Question number	Answer	Mark
1(a)(ii)	C 7500 kg is the only correct answer. A, B and D are incorrect because the sand: stone ratio is not 2:3	(1) AO3 1

Question number	Answer	Additional guidance	Mark
1(a)(iii)	giant covalent / macromolecular	giant and covalent required ignore lattice reject ionic	(1) AO3 1

Question number	Answer	Mark
1(b)(i)	D nanoparticles are larger than atoms and molecules is the only correct answer. A, B and C are incorrect because nanoparticles are made of a few hundred atoms	(1) AO1 1

Question number	Answer	Additional guidance	Mark
1(b)(ii)	an explanation linking any two from {reflect/ absorb/ block/ protects from} UV (light) (1) - so prevent {sunburn/ skin damage} (1) - nanoparticles are {<u>very</u> small/ <100nm/ <1 x 10⁻⁷m } (1)	ignore sun/ sunlight/ sun's rays/ IR allow prevents (skin) cancer/ cell damage; ignore 'protects the skin' allow large SA: vol ratio ignore large surface area	(2) AO1 1

	so better skin coverage/ cannot be seen on skin/ is clear/ is colourless (1)	allow no white marks/ residue/ streaks; ignore absorbs well into skin	
--	--	--	--

Total for question 1 = 6 marks

Question number	Answer	Additional Guidance	Mark
2(a)	a diagram that includes • apparatus <u>that would collect and measure gas</u> using a gas syringe, measuring cylinder or burette (1) • label stating {gas syringe / measuring cylinder/ burette} (1)	mark independently ignore seals/ blockages MP2 for label, independent of drawing ignore any other labels	(2) AO1 2

Question number	Answer	Additional guidance	Mark
2(b)(i)	47	allow any value from 46-48	(1) AO3 2

Question number	Answer	Additional guidance	Mark
2(b)(ii)	answer in range 6.197 – 6.5 with or without working scores 3 Δy (gas volume) = 70 – (any no. in range 24-26) = 44-46 (1) Δx (time) = 7.1 – 0 = 7.1 (1) $\frac{\Delta y}{\Delta x}$ = 6.197 – 6.479 (1)	allow 7-7.2 with or without working allow in these ranges: 6.197-6.5 scores 3 6.10-6.196 or 6.51-6.60 scores 2 6.0-6.099 or 6.61-6.70 scores 1	(3) AO3 2

		12.50 – 13.20 scores 2 13.21-13.75 scores 1 if answer is rounded, mark pre-rounded answer and ignore rounding if final answer not given or outside 6.0-6.70, or 12.50-13.75, then max 2 for MP1 and/ or MP2	
--	--	--	--

Question number	Answer	Additional guidance	Mark
2(c)	an explanation linking - rate is increased (1) - because higher surface area/ higher frequency of collisions/ more collisions <u>per second</u> (1)	if rate decreased scores 0 for whole answer allow (rate/ reaction) faster, quicker, speed of reaction increases allow reaction takes less time/ dissolves faster reject particles have more energy for MP2 allow more area (of marble) for reactions to occur/ more contact (between particles) allow more chance of collisions/ collisions happen more often ignore more (successful) collisions alone	(2) AO1 1

Question number	Answer	Mark
2(d)	B using acid of a lower concentration is the only correct answer C is incorrect because the reactants are not changed A and D are incorrect because the reaction will be faster	(1) AO1 2

Total for question 2 = 9 marks

Question number	Answer	Additional guidance	Mark
3(a)	A description to include - add glowing splint (1) - it relights (1)	reject lit splint/ flame ignore description of forming glowing splint e.g. light splint and blow it out MP2 depends on MP1	(2) AO1 2

Question number	Answer	Additional guidance	Mark
3(b)	48.942 with or without working scores (2) $0.529 \times \frac{4.200}{2.100} = 1.058$ (1) $50.000 - 1.058 = 48.942$ (1)	48.94 or 48.9 (with or without working) scores 2 49 rounded from 48.942 scores 2 49 rounded from 49.471 scores 1 49 with no or other working scores 0 allow $0.529 \times 2 = 1.058$ allow ecf for 50 – calculated mass of oxygen 49.471 scores 1	(2) AO2 1

Question number	Answer	Additional guidance	Mark
3(c)(i)	An explanation linking: (the gas atoms) have full <u>outer</u> shell(s) (1)	mark independently ignore mention of numbers of electrons allow outer orbital / outer energy level allow do not form ions	(2) AO1 1

	so they do not {gain/ lose/ transfer/ share} <u>electrons</u> (1)	ignore it does not react/ does not gain a charge	
--	---	--	--

Question number	Answer	Mark
3(c)(ii)	D argon is unreactive is the only correct answer A, B and C are incorrect as they are irrelevant	(1) AO2 1

Question number	Answer		Mark
3(d)	A description including (coastal ecosystems) store more (carbon/ carbon dioxide) (than forests) (1) - storing 2450 per unit area (for coastal) AND compared to 900 for non-coastal storage (1)	allow coastal mangrove trees and/or coastal salt marsh OR just "they" ignore seagrass in MP1 ORA allow 2400-2500 allow 850-950 allow 350-450 for forests allow any reasonable relative values (2.5-3 x as much as non-coastal, 6-6.5 x as much as forests)	(2) AO3 1

Total for question 3 = 9 marks

Question number	Answer	Additional guidance	Mark
4(a)(i)	An explanation linking - wear gloves/ goggles (1) - because it is corrosive (1)	mark independently allow <u>safety</u> glasses/ <u>safety</u> spectacles ignore eye protection ignore burns/ corrodes allow caustic	(2) A03 3a

Question number	Answer	Mark
4(a)(ii)	silver nitrate	(1) AO1 1

Question number	Answer	Additional guidance	Mark
4(a)(iii)	inert/ unreactive/ does not corrode / does not break (if dropped)	allow can be moulded into shape / waterproof / non-brittle ignore durable / strong/ malleable/ rigid/ flexible/ transparent/ cost reject 'is not corrosive'/ non-corrosive	(1) AO2 1

Question number	Answer	Additional guidance	Mark
4(a)(iv)	An explanation linking • use {a different / sulfuric/ nitric} acid (1) • (as) hydrochloric acid contains chloride/Cl⁻ (ions) (1)	mark independently MP1 is not scored if any additional substances are added except silver nitrate or "K" allow because otherwise silver chloride forms reject 'contains chlorine' allow chlorine ions/ Cl ions	(2) AO1 2

Question number	Answer	Additional guidance	Mark
4(b)	$\text{Na}_2\text{CO}_3 + 2\text{HCl} \rightarrow 2\text{NaCl} + \text{H}_2\text{O} + \text{CO}_2$ (3) fully correct, balanced equation (3) all three formulae only (2) any two correct formulae (1)	allow incorrect cases/ subscripts	(3) AO2 1

Question number	Answer	Additional guidance	Mark
4(c)	85 with or without working scores 2 $\text{CO}_3 = 12 + 3 \times 16 = 60$ (1) $\frac{230 - 60}{2} = 85$ (1)	final answer of 85 2 marks 170 1 mark allow ecf for MP2 from C+ O value worked out using 12 and 16	(2) AO2 1

Total for question 4 = 11 marks

Question number	Answer	Additional guidance	Mark
5(a)(i)	a description including any two from • same general formula (1) • same functional group (1) • (neighbouring molecules) differ by CH₂ (1) • <u>similar</u> {chemical properties/ reactions} (1) • trend in physical properties (1)	allow C_nH_{2n+2} ignore any other specific general formula ignore same {formula/ name ending} reject same {empirical / molecular} formula ignore they are all hydrocarbons ignore similar properties ignore same {chemical properties/ reactions} ignore similar properties/ similar physical properties allow specific examples e.g. increasing melting points	(2) AO1 1

Question number	Answer	Mark
5(a)(ii)	C C₈H₁₈ is the only correct answer A, B and D are not alkanes	(1) AO2 1

Question number	Answer		Mark
5(b)	an explanation linking CARBON – max 2 • carbon dioxide / CO₂ (1) • (carbon dioxide is a) greenhouse gas/ contributes to global warming (1) SULFUR – max 2 • sulfur dioxide / SO₂ (1) • (sulfur dioxide causes) acid rain (1)	MP2 depends on MP1 for both gases ignore formation of water/ carbon monoxide/ carbon allow causes climate change allow specific effects of global warming allow sulfur trioxide ignore sulfur oxide(s) but allow ECF for MP3 allow forms sulfuric acid allow specific environmental effects – kills fish/ kills trees / breathing problems	(4) AO1 1

Question number	Answer	Additional guidance	Mark
5(c)	$2\text{C}_7\text{H}_{16} + 15\text{O}_2 \rightarrow 14\text{CO} + 16\text{H}_2\text{O}$ (2) all formulae correct only (1) balancing correct formulae only (1)	allow multiples inc. 7.5, 7, 8 ignore any state symbols allow incorrect cases or subscripts allow = for $\rightarrow$	(2) AO2 1

Total for question 5 = 9 marks

Question number	Answer	Mark
6(a)(i)	A 19% is the only correct answer B, C and D are incorrect because $3.5/18.0 \times 100 = 19$ to nearest whole number	(1) AO3 1

Question number	Answer	Additional guidance	Mark
6(a)(ii)	a description linking • leave (for more time) (1) • until volume of gas stops changing (1) OR • take repeated readings at different times (1) • which must be the same (1) OR • use more (iron) wool (1) • so iron in excess (1)	ignore references to testing oxygen ignore so oxygen fully reacts ignore repeat the experiment alone add excess (iron) wool scores 2	(2) AO3 3b

Question number	Answer	Additional guidance	Mark
6(b)(i)	a description including • add {ice/ cold water} <u>to beaker</u>(1)	allow add ice/cold water around tube A reject add condenser / cool delivery tube ignore cobalt chloride paper/ anhydrous copper	(2) AO3 3a


	add limewater to <u>tube B</u> (1)	sulfate	
		allow answer on diagram	

Question number	Answer		Mark
6(b)(ii)	- moles of carbon = $\frac{26.4}{44} = 0.6$ (1) - moles of hydrogen = $\frac{(2 \times 5.4)}{18} = 0.6$ (1) - ratio = 1 : 1 / empirical formula = CH / x = y (1) C₆H₆ (1)	allow moles of carbon dioxide = 0.6 moles of water/ hydrogen = 0.3 scores 0 for MP2 allow ECF for MP3 only depending on calculated moles 0.6: 0.3 (from MP2) = 2: 1 / C₂H / x = 2y scores MP1 and MP3 allow ratio of moles CO₂ : H₂O = 2:1 for MP3 no ECF for MP4 C₆H₆ or H₆C₆ is a stand alone mark for MP4 only the other 3 marks must be shown to be scored	(4) AO2 1

Total for question 6 = 9 marks

Question number	Answer	Additional guidance	Mark
7(a)	periodic table is in atomic number order/ argon has atomic number 18 and potassium 19/ argon has 18 protons and potassium has 19 / (potassium has) higher atomic number	allow potassium (atoms) have more protons ignore electrons and neutrons allow proton number for atomic number ignore potassium is in group 1 and argon is in group 0	(1) AO2 1

Question number	Answer		Mark
7b(i)	KOH AND H ₂	allow formulae in either order allow KHO ignore HOK / OHK / HKO / OKH allow incorrect case and subscript reject 2H	(1) AO1 1

Question number	Answer	Additional guidance	Mark
7(b)(ii)	 products line (ends to) right of reactants line AND lower (1)	allow labels of names of reactants and products allow unlabelled reactants and products but reject if labels reversed allow energy at start/ end as labels	(2) AO2 1

	curve with activation energy arrow from reactants level to peak of curve level AND labelled {activation energy/ E_A / E_{ACT}} (1)	arrow can point up, down or be double headed arrow can be inside or outside curve, but must be from and to correct levels on diagram allow missing arrowhead(s) allow ECF for MP2 if endothermic diagram is drawn	
--	---	--	--

Question number	Answer	Additional guidance	Mark
7(c)	an explanation linking - bond breaking {endothermic/ requires energy} (1) - bond forming {exothermic/ releases energy} (1) - less energy is released (forming bonds) than is required (to break bonds) (1)	allow heat for energy ignore number of bonds/ more bond breaking etc. MP3 dependant on scoring MP1 AND MP2 energy needed to break bonds is more than energy released forming bonds (3)	(3) AO1 1

Question number	Answer		Mark
7(d)	-55 with or without working scores 4 BROKEN: $612 + 4(412) + 431 = 2691$ (1) MADE: $412 + 348 + 338 + 4(412) = 2746$ (1) DIFFERENCE: $2691 - 2746$ (1) ANSWER: = - 55 (1)	allow positive or negative allow positive or negative allow ecf for +broken -made allow ecf for addition or subtraction of 2 <u>calculated</u> values (working required) using bond energies	(4) AO2 1

	OR BROKEN: $612 + 431 = 1043$ (1) MADE: $412 + 348 + 338 = 1098$ (1) DIFFERENCE: $1043 - 1098$ (1) ANSWER: $= - 55$ (1)	allow positive or negative allow positive or negative allow ecf for +broken -made allow ecf for addition or subtraction of 2 <u>calculated</u> values (working must be seen) using bond energies with or without working, final answers of: -55 scores 4 (+) 55 scores 3 (+)293 scores 3 (+)705 scores 3 -486 scores 3 (+)486 scores 2	
--	---	---	--

Total for question 7 = 11 marks

Question number	Answer		Mark
8(a)(i)	An explanation linking • other cations give (white) precipitate (1) • so can't be certain that it is aluminium (ions)/ it could be a calcium (compound) (1) OR • need to add more NaOH (1) • to show that precipitate dissolves (so aluminium ions) (1) OR • could be (sulfate or) <u>chloride</u> (1) • because no anion test has been carried out (1)	MP2 depends on MP1 in each pair allow for 1 only <u>calcium chloride</u> also give white ppt calcium (ions) also give a white ppt scores 2 allow aluminium chloride also gives white precipitate allow for this MP: no sulfate test/ full test for sulfate ions if no other marks scored: allow they all give white precipitate (1)	(2) AO1 2

Question number	Answer	Additional guidance	Mark
8(a)(ii)	A description including • add (HCl and) barium chloride (1) • white precipitate (1)	reject additional substances added e.g. sulfuric acid allow barium nitrate MP2 dependent on mention of barium chloride/ nitrate even if MP1 not scored	(2) AO2 1

Question number	Answer	Mark
8(b)	A iron(II) ions, Fe^{2+}, have been oxidised to iron(III) ions, Fe^{3+} is the only correct answer B, C and D are as the brown colour is caused by Fe^{3+} caused by oxidation	(1) AO3 1
Question number	Answer	Mark
*8(c)	Answers will be credited according to candidate's deployment of knowledge and understanding of the material in relation to the qualities and skills outlined in the generic mark scheme. The indicative content below is not prescriptive and candidates are not required to include all the material that is indicated as relevant. Additional content included in the response must be scientific and relevant. R • has a pH greater than 7 as UI turns blue: therefore R is an alkali/ base • lilac flame test indicates potassium compound • gas evolved when mixed with S is carbon dioxide: therefore R is a carbonate • R is white so not transition metal compound • R is potassium carbonate S • has a pH less than 7 as UI turns orange: therefore S is a (weak) acid • bubbles with magnesium are hydrogen: therefore S is an acid • S molecule has 2 carbon atoms and a weak acid: therefore is a carboxylic acid, ethanoic acid Mixing R and S • neutralisation reaction • carbon dioxide released • R is a carbonate and S is an acid	(6) AO2 2 AO3 2

Total for question 8 = 11 marks

Level	Mark	Descriptor
	0	No rewardable material.
Level 1	1–2	The explanation attempts to link and apply knowledge and understanding of scientific enquiry, techniques and procedures, flawed or simplistic connections made between elements in the context of the question. Lines of reasoning are unsupported or unclear. (AO2) Deconstructs scientific information but understanding and connections are flawed. An unbalanced or incomplete argument that provides limited synthesis of understanding. Judgements are supported by limited evidence. (AO3)
Level 2	3–4	The explanation is mostly supported through linkage and application of knowledge and understanding of scientific enquiry, techniques and procedures, some logical connections made between elements in the context of the question. Lines of reasoning mostly supported through the application of relevant evidence. (AO2) Deconstructs scientific information and provides some logical connections between scientific concepts. An imbalanced argument that synthesises mostly relevant understanding, but not entirely coherently. Judgements are supported by evidence occasionally. (AO3)
Level 3	5–6	The explanation is supported throughout by linkage and application of knowledge and understanding of scientific enquiry, techniques and procedures, logical connections made between elements in the context of the question. Lines of reasoning are supported by sustained application of relevant evidence. (AO2) Deconstructs scientific information and provide logical connections between scientific concepts throughout. A balanced, well-developed argument that synthesises relevant

		understanding coherently. Judgements are supported by evidence throughout. (AO3)
--	--	---

Level	Mark	Descriptor
	0	Discard all incorrect material and reject contradictory material. No awardable content
Level 1	1-2 Additional Guidance Candidate makes correct explained deduction about R or S	• blue means pH above 7, so R is an alkali (2) • R is alkali (1) • lilac flame test means potassium (ions/ compound) (1) • lilac flame means R is potassium (0) • orange means pH below 7, so S is an acid (2) • orange means S is a weak acid (2) • the gas given off with R and S is carbon dioxide so R is a carbonate (2) • the gas given off with R and S is carbon dioxide (1) • R contains potassium and S is an acid (2) • S is an acid because it reacts with magnesium (2)
Level 2	3-4 Additional Guidance R or S correctly identified AND fully justified AND statement about other substance	• R is potassium carbonate because it is an alkali because a blue colour means a pH above 7, and the lilac flame means it is a potassium compound and S is an acid (4) • R is potassium compound because it has a lilac flame test and S is ethanoic acid because it gives off hydrogen with magnesium so it is acidic and has two carbons (4) • R is potassium carbonate (3) • R is potassium carbonate and S is an acid (3)

Level 3	5-6 Additional Guidance Candidate identifies R as potassium carbonate AND S as ethanoic acid AND fully justifies both	- S is ethanoic acid because it is acid, going orange with UI, and it contains 2 carbon atoms. R is potassium carbonate because it has a lilac flame test (potassium compound) and gives off carbon dioxide with acid S (carbonate) (6) - S is propanoic acid because it is acid, going orange with UI, and it contains 2 carbon atoms. R is potassium carbonate because it has a lilac flame test (potassium ions) and gives off carbon dioxide with acid S (carbonate) (5) - R is potassium carbonate and S is ethanoic acid (5)
---------	---	--

Question number	Answer	Mark
9(a)	A dark grey solid is the only correct answer B, C and D are incorrect as iodine is grey	(1) AO1 1

Question number	Answer	Additional guidance	Mark
9(b)	iron bromide/ FeBr ₃	ignore any (II) or (III) in answer allow FeBr ₂ reject iron bromine if name and formula given, ignore formula	(1) AO1 1

Question number	Answer	Additional guidance	Mark
9(c)	$2\text{Al} + 3\text{Br}_2 \rightarrow 2\text{AlBr}_3$	allow multiples reject incorrect case or subscript e.g formulae with BR or AL e.g Br ₂ , Br ²	(3) AO2 1

	LHS formulae only → (1) → RHS formula only (1) balancing correct formulae only (1)	reject incorrect charges ignore any state symbols	
--	--	--	--

Question number	Answer	Mark																
9(d)(i)	Answers will be credited according to candidate's deployment of knowledge and understanding of the material in relation to the qualities and skills outlined in the generic mark scheme. The indicative content below is not prescriptive and candidates are not required to include all the material that is indicated as relevant. Additional content included in the response must be scientific and relevant. method - react each salt solution with each halogen solution (relevant 6 mixtures, or all 9) - no need to add halogen to its own sodium salt reaction of sodium chloride with halogen solutions - bromine and iodine do not react - because chlorine is the most reactive halogen reaction of sodium bromide with halogen solutions - iodine will not react - because iodine is less reactive than bromine - chlorine will react - because chlorine is more reactive than bromine - sodium bromide + chlorine will turn orange/yell - bromine is displaced $\text{Cl}_2 + 2\text{NaBr} \rightarrow 2\text{NaCl} + \text{Br}_2$ / word equation <table><tr><td></td><td>Cl_2</td><td>Br_2</td><td>I_2</td></tr><tr><td>$\text{NaCl}_{(\text{aq})}$</td><td></td><td>x No reaction $\therefore \text{Cl}_2 > \text{Br}_2$</td><td>x No reaction $\therefore \text{Cl}_2 > \text{I}_2$</td></tr><tr><td>$\text{NaBr}_{(\text{aq})}$</td><td>✓ orange solution $\therefore \text{Cl}_2 > \text{Br}_2$ $2\text{NaBr} + \text{Cl}_2 \rightarrow 2\text{NaCl} + \text{Br}_2$</td><td></td><td>x No reaction $\therefore \text{Br}_2 > \text{I}_2$</td></tr><tr><td>$\text{NaI}_{(\text{aq})}$</td><td>✓ brown solution $\therefore \text{Cl}_2 > \text{I}_2$ $2\text{NaI} + \text{Cl}_2 \rightarrow 2\text{NaCl} + \text{I}_2$</td><td>✓ brown solution $\therefore \text{Br}_2 > \text{I}_2$ $2\text{NaI} + \text{Br}_2 \rightarrow 2\text{NaBr} + \text{I}_2$</td><td></td></tr></table> reaction of sodium iodide with halogen solutions - chlorine and bromine solutions both react - because chlorine and bromine are more reactive than iodine - solutions turn brown/ yellow/ black-grey solid		Cl_2	Br_2	I_2	$\text{NaCl}_{(\text{aq})}$		x No reaction $\therefore \text{Cl}_2 > \text{Br}_2$	x No reaction $\therefore \text{Cl}_2 > \text{I}_2$	$\text{NaBr}_{(\text{aq})}$	✓ orange solution $\therefore \text{Cl}_2 > \text{Br}_2$ $2\text{NaBr} + \text{Cl}_2 \rightarrow 2\text{NaCl} + \text{Br}_2$		x No reaction $\therefore \text{Br}_2 > \text{I}_2$	$\text{NaI}_{(\text{aq})}$	✓ brown solution $\therefore \text{Cl}_2 > \text{I}_2$ $2\text{NaI} + \text{Cl}_2 \rightarrow 2\text{NaCl} + \text{I}_2$	✓ brown solution $\therefore \text{Br}_2 > \text{I}_2$ $2\text{NaI} + \text{Br}_2 \rightarrow 2\text{NaBr} + \text{I}_2$		(6) AO2 2 AO3 1
	Cl_2	Br_2	I_2															
$\text{NaCl}_{(\text{aq})}$		x No reaction $\therefore \text{Cl}_2 > \text{Br}_2$	x No reaction $\therefore \text{Cl}_2 > \text{I}_2$															
$\text{NaBr}_{(\text{aq})}$	✓ orange solution $\therefore \text{Cl}_2 > \text{Br}_2$ $2\text{NaBr} + \text{Cl}_2 \rightarrow 2\text{NaCl} + \text{Br}_2$		x No reaction $\therefore \text{Br}_2 > \text{I}_2$															
$\text{NaI}_{(\text{aq})}$	✓ brown solution $\therefore \text{Cl}_2 > \text{I}_2$ $2\text{NaI} + \text{Cl}_2 \rightarrow 2\text{NaCl} + \text{I}_2$	✓ brown solution $\therefore \text{Br}_2 > \text{I}_2$ $2\text{NaI} + \text{Br}_2 \rightarrow 2\text{NaBr} + \text{I}_2$																

	- iodine is displaced $\text{Cl}_2 + 2\text{NaI} \rightarrow 2\text{NaCl} + \text{I}_2$ / word equation $\text{Br}_2 + 2\text{NaI} \rightarrow 2\text{NaBr} + \text{I}_2$ / word equation order of reactivity - chlorine > bromine > iodine / less reactive down group	
--	--	--

Level	Mark	Descriptor
	0	No rewardable material.
Level 1	1–2	The explanation attempts to link and apply knowledge and understanding of scientific enquiry, techniques and procedures, flawed or simplistic connections made between elements in the context of the question. Lines of reasoning are unsupported or unclear. (AO2) Analyses the scientific information but understanding and connections are flawed. (AO3) An incomplete plan that provides limited synthesis of understanding. (AO3)
Level 2	3–4	The explanation is mostly supported through linkage and application of knowledge and understanding of scientific enquiry, techniques and procedures, some logical connections made between elements in the context of the question. Lines of reasoning mostly supported through the application of relevant evidence. (AO2) Analyses the scientific information and provides some logical connections between scientific enquiry, techniques and procedures. (AO3) A partially completed plan that synthesises mostly relevant understanding, but not entirely coherently. (AO3)
Level 3	5–6	The explanation is supported throughout by linkage and application of knowledge and understanding of scientific enquiry, techniques and procedures, logical connections made

		between elements in the context of the question. Lines of reasoning are supported by sustained application of relevant evidence. (AO2) Analyses the scientific information and provide logical connections between scientific enquiry, techniques and procedures throughout. (AO3) A well-developed plan that synthesises relevant understanding coherently. (AO3)
--	--	--

Level	Mark	Descriptor Discard all incorrect material (including additional observations) and reject contradictory material. Allow potassium salts instead of sodium salts. Ignore explanations of reactivity.
	0	No awardable content
Level 1	1-2 Additional Guidance describes at least one suitable experiment AND one result/ at least 2 halogens put in order	• add chlorine to sodium bromide and reaction occurs (2) • add chlorine to sodium bromide and orange colour seen (2) • add chlorine, bromine and iodine to each of the three solutions (1) • $\text{Cl}_2 + 2\text{NaI} \rightarrow 2\text{NaCl} + \text{I}_2$ (2) • bromine + sodium iodide = sodium bromide + iodine (2) • order of reactivity is chlorine > bromine > iodine (1) • table with the 9 combinations with no/ no correct results (1)
Level 2	3-4 Additional Guidance describes sufficient experiments that the order of reactivity can be determined with results	• mix every halogen with every salt. Chlorine with bromide goes orange, chlorine with iodide goes brown, bromine with iodide goes brown. (4) • table with the 9 combinations and correct ticks/ colours (4) • mix every halogen with every salt. Chlorine with bromide goes orange (3) • table with the 9 combinations and one correct tick/ colour (3)

Level 3	5-6 Additional Guidance describes sufficient experiments that the order of reactivity can be determined with results AND gives order of reactivity AND at least one equation showing displacement	• mix chlorine/bromide, chlorine/iodide, bromine/iodide. <u>These three all react</u> therefore chlorine > bromine > iodine. $\text{Cl}_2 + 2\text{NaI} \rightarrow 2\text{NaCl} + \text{I}_2$ (6) • mix every halogen with every salt. <u>Only</u> reactions are: chlorine with bromide goes orange, chlorine with iodide goes brown, bromine with iodide goes brown. chlorine > bromine > iodine. chlorine + sodium bromide = sodium chloride + bromine (6) • mix every halogen with every salt. Chlorine with bromide goes orange, chlorine with iodide goes brown, bromine with iodide goes brown. chlorine > bromine > iodine. chlorine + sodium bromide = sodium chlor<u>ine</u> + bromide (5)
---------	---	---



Question number	Answer	Additional guidance	Mark
9(d)(ii)	an explanation linking • halide (ions) {lose electrons / are oxidised} (1) • halogen (atoms/ molecules) {gain electrons / are reduced} (1)	half-equations can score MP1 and/or MP2 ignore halogens lose electrons reject the {halogen in the salt/ halogen being displaced} is reduced/ gains electrons	(2) AO1 1

Total for question 9 = 13 marks

Question number	Answer	Mark
10(a)(i)	distance between {burner/ flame} and flask / height of flask / {length/ size} of wick	(1) AO1 2

Question number	Answer	Additional guidance	Mark
10(a)(ii)	0.035 with or without working scores 2 $\frac{1.6}{46}$ (1) = 0.035 (1)	29 scores 1 MP1 for showing the fraction (whatever number shown) or if no fraction shown 0.03478260869565 CORRECTLY ROUNDED to any no. of sig figs NO ECF for MP2 except allow 1 mark for 29	(2) AO2 1

Question number	Answer	Additional guidance	Mark
10(a)(iii)	{heat/ energy} lost / incomplete combustion / ethanol evaporates	ignore generic statements such as side reactions or incomplete reactions or not a closed system	(1) AO1 2

Question number	Answer	Additional guidance	Mark
10(b)(i)	 one C=C only in any molecule with <u>8 carbons</u> (1) monomer fully correct (2)	For MP1 all that is required is one, and only one, C=C bond and any other 6 C atoms in any structure [but ignore any C=C in attempted structure of the phenyl group], even if molecule does not exist. no continuation bonds allowed in fully correct molecule allow 1 mark for correct repeating unit (with or without brackets or continuation bonds but reject if includes n) 	(2) AO3 1

Question number	Answer	Additional guidance	Mark
10(b)(ii)	an explanation to include: (bromine water is) {orange/ yellow} (1) - turns colourless/ decolourises (1)	mark independently reject red or brown ignore clear	(3) AO2 1

	because double bond present / unsaturated (1)	ignore alkene	
--	--	---------------	--

Question number	Answer	Additional guidance	Mark
10(c)	a description to include ADDITION MONOMER – Max 2 - only one monomer (1) - monomer is {an alkene / unsaturated / has C=C} (1) CONDENSATION MONOMER – Max 2 - two/different monomers (1) - one monomer is (di)alcohol (1) - one monomer is (di)carboxylic acid (1) - each monomer molecule has (two) functional groups (at each end) (1)	allow monomers are identical allow (2x) -OH allow (2x) -COOH	(3) AO1 1

Total for question 10 = 12 marks