

EDEXCEL · GCSE CHEMISTRY 1CH0

Higher Tier — Paper 2

June 2025 exam series

MARK SCHEME

Reproduced for free student revision use by Smart Edge International Ltd. Original paper © Pearson Edexcel. Not affiliated with or endorsed by Pearson Edexcel. For personal study use only — not for resale or redistribution.



Mark Scheme (Results)

Summer 2025

Pearson Edexcel GCSE
In Chemistry (1CH0)
Paper 2H

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2025

Question Paper Log Number P75509RRA

Publications Code 1CH0_2H_2506_MS

All the material in this publication is copyright

© Pearson Education Ltd 2025

General Marking Guidance



- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark
- Mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Chemistry 1CH0_2H

Question number	Answer	Mark
1(a)	C Na⁺ is the only correct answer. A (brick red), B (green blue) and D (red) are not correct as these ions do not give a yellow flame.	(1) A01 2 MCQ

Question number	Answer	Mark
1(b)(i)	C C₇H₅N₃O₆ is the only correct answer. A and B are incorrect as they have too few carbons; D is incorrect because it has too many hydrogens	(1) A02 1

Question number	Answer	Additional Guidance	Mark
1(b)(ii)	(they are) explosive / can explode	allow 'blows up' ignore other hazards such as toxic	(1) A03-3

Question number	Answer	Additional Guidance	Mark
1(c)	 or $>C=C<$ (1) then rest of molecule correct (1)	allow 'h' allow dot and cross diagram:  4 electrons between 2 carbon atoms (1) rest of molecule correct (1) in both cases, MP2 depends on MP1 ignore bond angles	(2) A03-2

Question number	Answer	Additional Guidance	Mark
1(d)	1403 nm ³	allow 1400	(1) A02-1

Total for Question 1 = 6 marks

Question number	Answer	Additional Guidance	Mark
2(a)	measuring cylinder	allow (graduated) pipette/ burette reject dropping pipette	(1) A03-3 Cler

Question number	Answer	Additional Guidance	Mark
2(b)(i)	Any one from (same) volume (same) (conical) flask (same) cross	allow amount of solution allow same surface area of liquid allow same person observing / distance of observer ignore amount of {stirring / mixing} ignore room temperature / same conditions ignore beakers ignore same solutions reject same time	(1) A03-3


Question number	Answer	Additional guidance	Mark
2(b)(ii)	an explanation linking any three from - time taken decreases (1) (because) particles have more energy (1) - more <u>frequent</u> collisions (1) - more particles have the activation energy / more successful collisions (1)	allow idea of time less than 10 s allow cross appears quicker allow rate increases / it would be faster allow particles move more/faster	(3) A02-1


Question number	Answer	Additional guidance	Mark
2(c)	0.67(g) with or without working scores 2 $25 \text{ cm}^3 = \frac{25}{1000} = 0.025 \text{ dm}^3$ (1) $0.025 \times 26.8 = 0.67(\text{g})$ (1) or $26.8 \times 25 = 670$ (1) $\frac{670}{1000} = 0.67 (\text{g})$ (1) or $1000/25 = 40$ (1) $26.8 / 40 = 0.67$ (1)	0.67 to any other power of 10 scores 1 e.g. 6.7 allow with working $(26.8 / 0.025 =) 1072$ (1) $(0.025/26.8 =) 0.0009328...$ correctly rounded (1)	(2) A02-1

Question number	Answer	Additional guidance	Mark
2(d)	an explanation linking - increases (rate) (1) (because) lowers activation energy (1)	allow speeds up (rate) / faster reaction / takes less time (1) allow alternative {pathway / route} (1) allow more {frequent/successful} collisions (1) ignore catalyst doesn't get used up reject particles speed up / have more energy	(2) A01-1

Total for Question 2 = 9 marks

Question number	Answer	Additional guidance	Mark
3(a)(i)	alkane(s)	ignore saturated hydrocarbons reject alkenes	(1) A01-1

Question number	Answer	Mark
3(a)(ii)	B  is the only correct answer A, C and D are not correct because they are not hydrocarbons	(1) A02-1

Question number	Answer	Additional guidance	Mark
3(b)	 a shared pair of electrons (1) rest of molecule correct including correct atomic symbols, if given (1)	allow all dots / all crosses allow unlabelled atoms ignore inner electrons even if incorrect if no circles present, atomic symbols must be present ignore double / triple bonds MP2 depends on MP1	(2) A01-1

Question number	Answer	Additional guidance	Mark
3(c)	CH₄ without working (0) carbon $\frac{0.96}{12}$ (= 0.08) and hydrogen $\frac{0.32}{1}$ (= 0.32) (1) simplest whole number ratio 1 : 4 (1) empirical formula CH₄ (1)	marks awarded for working using the masses from the question MP1 for mass/A_r calculated MP2 for MP1 converted to simplest whole number ratio MP3 for whole number ratio from MP2 correctly converted to formula allow C₁H₄ / CH₄ (3 with working) allow C₄H / C₄H₁ (2 – with working, scores MP2 and 3 only)	(3) A02-1

Total for Question 3 = 7 marks

Question number	Answer	Mark
4(a)(i)	C 42 is the only correct answer A, B and D are not correct because they are not 42	(1) A02-1

Question number	Answer	Additional guidance	Mark
4(a)(ii)	A description including: - the <u>double</u> bond breaks (1) (monomers) {link / bond / join / attach} (to form long chain) (1)	allow <u>double</u> bond 'opens up' ignore monomers combine / react ignore addition / condensation polymerisation reject joins by ionic bonds	(2) A01-1 Exp

Question number	Answer	Additional guidance	Mark
4(b)	An explanation linking: (advantage) low relative mass (1) (so) less energy to <u>transport</u> (1) or (advantage) it does not tear (1) (so) (crisps) won't go stale / won't be exposed to {water/air/oxygen} / prevents oxidation of crisps / (1)	allow cheaper to <u>transport</u> allow remain sealed allow (crisps) won't fall out ignore crips won't be damaged ignore anything about recycling	(2) A03-2 Exp

Question number	Answer	Additional guidance	Mark
4(c)(i)	an explanation linking - less material used (1) (so) resources conserved (1)	allow lower mass / lightweight ignore thinner allow costs less ignore recycling	(2) A03-2 Exp

Question number	Answer	Additional guidance	Mark
4(c)(ii)	ratio $3 \times 75 (=225)$ and $2 \times 18 (=36)$ (1) $\frac{105}{225} \times 36 = 16.8$ g (1)	$16.8 / 17$ g with or without working scores 2. allow 225 and 36 seen (1) $\frac{105}{75} (= 1.4)$ moles amino acid and $\frac{2}{3} \times 1.4 = 0.933$ moles H ₂ O (1) so mass of water = $0.933... \times 18 = 16.8$ (g) (1) allow with working: (1) $0.467 / 8.4 / 8.57 / 25.2 / 37.80 / 50.4 / 3780$	(2) A02-1 Exp

Question number	Answer	Additional guidance	Mark
4(d)(i)	carboxyl / carboxylic acid		(1) A01-1

Question number	Answer	Additional guidance	Mark
4(d)(ii)	alcohol	allow hydroxyl	(1) AO2-1

Total for Question 4 = 11 marks

Question number	Answer	Mark
5(a)	C soft, low is the only correct answer A, B and D are incorrect because alkali metals are soft with low melting points	(1) AO1-1

Question number	Answer	Additional guidance	Mark
5(b)(i)	An answer including any two from - metal melts / forms a ball (1) - effervescence / fizzing / bubbles (1) - metal floats (1) - metal moves (1) - metal ignites (1) - metal disappears (1) - metal explodes (1) (lilac / purple) flame (1) - white smoke (1)	ignore (named) gas(es) allow metal dissolves allow spits allow 'coloured' flame reject incorrect colours ignore sparks ignore any temperature changes	(2) AO1-2

Question number	Answer	Additional guidance	Mark
5(b)(ii)	An explanation linking any three from - lithium has fewer (electron) shells (1) (because) outer electron closer to nucleus (1) (because) (outer electron) more strongly attracted to nucleus / has greater electrostatic attraction to nucleus (because) (outer) electron harder to remove (1) (because) less shielding in lithium (than K) (1)	allow reverse argument for potassium correct electronic configurations score MP1 for Li and K reject 'outer shells' for mp1 allow outer shell is closer to nucleus allow smaller atom (for Li) allow 'attractive forces' in place of electrostatic attraction reject any incorrect forces or intermolecular forces for MP3&4	(3) A01-1

	Answer	Additional guidance	Mark
5(b)(iii)	$2 \text{OH}^- + \text{CO}_2 \rightarrow \text{CO}_3^{2-} + \text{H}_2\text{O}$ (2) both formulae of CO_2 and H_2O (1) balancing correct formulae only (1)	allow multiples reject equation if Na^+ in front of OH^-	(2) A02-1


Question number	Answer	Additional guidance	Mark
5(c)	$\frac{132.905}{6.02 \times 10^{23}} \text{ (1)}$ $= 2.208 \times 10^{-22} \text{ (g) (1)}$	an answer of $2.20772425249 \times 10^{-22}$ to 2 or more sig figs with or without working (2) allow 2 or more sig fig allow $\frac{6.02 \times 10^{23}}{132.905} = 4.5296 \times 10^{21} \text{ (1)}$ allow $132.905 \times 6.02 \times 10^{23} = 8.000881 \times 10^{25} \text{ (1)}$	(2) A02-1

Total for Question 5 = 10 marks

Question number	Answer	Additional Guidance	Mark
6(a)	An explanation linking - atoms have full <u>outer</u> (electron) shell (1) (so) do not need to { gain / lose / share } electron(s) (1)	allow (electron) shells are full ignore hard to remove electrons	(2) A01-1

Question number	Answer	Additional Guidance	Mark
6(b)(i)	Xe + 2F ₂ → XeF ₄ (1)	allow multiples ignore any state symbols even if incorrect reject non-subscripted {2 / 4} and 'E' reject Fl / f for fluorine	(1) A02-1

Question number	Answer	Additional Guidance	Mark
6(b)(ii)	An answer linking - structure: simple / molecular (1) - bonding: covalent (1) (because) non-conductor AND low melting point / low melting point because of weak intermolecular forces / does not conduct because no {ions/delocalised electrons} present (1)	score 0 for whole answer if 'ionic' is mentioned in structure or bonding ignore 'free electrons'	(3) A03-2

Question number	Answer	Additional Guidance	Mark
6(c)	 <u>axis:</u> y axis 'energy' (1) <u>shape:</u> products line below reactants line with activation energy peak (1) <u>labels:</u> {energy change / ΔH / -400} and activation energy labelled with arrows (1)	<u>axis:</u> allow heat energy / energy level. Ignore any units. reject 'energy change' <u>shape:</u> can consist of straight lines energy levels do not need labelling but penalise if reactants & products are the wrong way round <u>labels:</u> allow any unambiguous labelling of activation energy and energy change. ignore direction of arrows. endothermic graph can score MP1 and MP3	(3) A01-1

Total for Question 6 = 9 marks

Question number	Answer	Additional guidance	Mark
7(a)(i)	An explanation linking: - graphite has layers (1) (because) (layers) slide over each other (1)	allow sheets of atoms / carbon / graphene ignore weak (intermolecular) forces (between layers)	(2) A01-1

Question number	Answer	Additional guidance	Mark
7(a)(ii)	$12 \times 60 \times 5 = 3600$ (1) $3600/1000 = 3.6$ (kg) (1)	3.6 (kg) with or without working scores 2 allow ecf throughout allow with working: $12 \times 60 / 1000 = 0.72$ (1) $60 \times 5 / 1000 = 0.30$ (1) $5 \times 12 / 1000 = 0.06$ (1) each error loses a mark in the calculation	(2) A02-1

Question number	Answer	Mark
7(b)	B C ₁₀ H ₂₃ N is the only correct answer A, C and D are incorrect because C ₁₀ H ₂₃ N is the only correct answer	(1) A02-1

Question number	Answer	Additional guidance	Mark
7(c)	An explanation linking: - open the air hole (slightly) of the Bunsen / use a roaring / blue flame (1) (because) to ensure complete combustion (1)	allow more oxygen in / can mix with {methane / gas} allow to release carbon dioxide instead of carbon allow to prevent incomplete combustion	(2) A03-3

Question number	Indicative content	Mark
*7(d)	Answers will be credited according to candidate's deployment of knowledge and understanding of the material in relation to the qualities and skills outlines in the generic mark scheme. The indicative content below is not prescriptive and candidates are not required to include all the material which is indicated as relevant. Additional content included in the response must be scientific and relevant. AO1 (3 marks) AO3 (3 marks) • carbon dioxide molecules absorb heat energy • likely carbon dioxide increase has caused temperature increase NATURAL PROCESSES • photosynthesis removes carbon dioxide • carbon dioxide dissolves into oceans • forming carbonate rocks • volcanoes release carbon dioxide HUMAN ACTIVITIES • burning fossil fuels releases carbon dioxide • deforestation means less carbon dioxide removed by trees • respiration DATA EVALUATION • from 1960-2000 steady increase in amount of carbon dioxide • from 1960-2000 general increase in mean temperature • correlation between carbon dioxide amount and temperature • increased mean temperature leads to a change in climate	(6) A01-1 A03-1

Level	Mark	Descriptor	Additional Guidance
	0	No rewardable material.	Read whole answer and ignore all incorrect material/ discard any contradictory material then:
Level 1	1–2	<u>Additional Guidance</u> Identifies processes that change atmospheric carbon dioxide OR Simple description of processes / global warming OR Simple statement about the data	<u>Possible candidate response</u> - Plants remove carbon dioxide from the atmosphere (1) - Plants, volcanoes and burning fossil fuels all change levels of carbon dioxide in the atmosphere (2) - As carbon dioxide levels have increased so has the temperature of the Earth (2) - Carbon dioxide levels have increased between 1960 and 2000 (1) - Carbon dioxide is emitted from volcanoes when they erupt (2)
Level 2	3–4	<u>Additional Guidance</u> Describes at least two processes that change levels of carbon dioxide OR Describes at least one process that change levels of carbon dioxide AND describes global warming OR uses the data in the graph to provide an evaluation	<u>Possible candidate response</u> - Burning fossil fuels and respiration of living things both release carbon dioxide into the atmosphere (3) - Photosynthesis removes carbon dioxide from the atmosphere and carbon dioxide dissolved in the oceans (3) - Plants remove carbon dioxide from the atmosphere during photosynthesis. Combustion of fossil fuels releases carbon dioxide into the atmosphere (4) - Deforestation means more carbon dioxide because less is absorbed by photosynthesis. As carbon dioxide levels have increased so has the temperature of the Earth (4) - Carbon dioxide absorbs IR, traps heat and reradiates it which links with the graphs showing increase of CO₂ and an increase in temperature (4)
Level 3	5–6	<u>Additional Guidance</u> Describes at least two processes that change levels of carbon dioxide AND uses the data in the graph to provide an evaluation OR Describes at least one process that change levels of carbon dioxide AND describes global warming AND uses the data in the graph to provide an evaluation	<u>Possible candidate response</u> - Increase in population has led to an increase in carbon dioxide levels through respiration, and the increase in population has also resulted in the increased burning of fossil fuels in cars. This has resulted in an increase in carbon dioxide levels from 1960 to 2000 (5) - Deforestation means more carbon dioxide because less is absorbed by photosynthesis, but carbon dioxide is removed when it dissolves in the oceans and forms carbonate rocks. The graphs show that carbon dioxide has increased over time AND so has the temperature which is a correlation (6)

Level	Mark	Descriptor
	0	No rewardable material.
Level 1	1–2	• Demonstrates elements of chemical understanding, some of which is inaccurate. Understanding of scientific ideas lacks detail. (AO1) • Interpretation and evaluation of the information attempted but will be limited with a focus on mainly just one variable. Demonstrates limited synthesis of understanding. (AO3)
Level 2	3–4	• Demonstrates chemical understanding, which is mostly relevant but may include some inaccuracies. Understanding of scientific ideas is not fully detailed and/or developed. (AO1) • Interpretation and evaluation of the information on both variables, synthesising mostly relevant understanding. (AO3)
Level 3	5–6	• Demonstrates accurate and relevant chemical understanding throughout. Understanding of the scientific ideas is detailed and fully developed. (AO1) • Interpretation and evaluation of the information, demonstrating throughout the skills of synthesising relevant understanding. (AO3)

Total for Question 7 = 13 marks

Question number	Answer	Additional guidance	Mark
8(a)	gas syringe	upturned burette over water	(1) A01-2

Question number	Answer	Mark
8(b)	B 106 is the only correct answer A, C and D are incorrect because $2 \times 53 = 106$	(1) A03-2

Question number	Answer	Additional guidance	Mark
8(c)	An explanation linking - the solution forms ions (1) (so) (ions) can move (1)	mention of covalent = 0 score 0 if answer suggests non-conductor reject delocalised electrons (because) (solutions containing ions) conduct electricity (1) mp2 depends on mp1	(2) A01-1

Question number	Answer	Mark
8(d)(i)	bromine	(1) A02-2

Question number	Answer	Additional guidance	Mark
8(d)(ii)	$\text{Cl}_2 + 2 \text{KBr} \rightarrow 2 \text{KCl} + \text{Br}_2$ (3) reactant formulae: $\text{Cl}_2 + \text{KBr} \rightarrow$ (1) product formulae: $\rightarrow \text{KCl} + \text{Br}_2$ (1) balancing correct formulae (1)	allow correct balanced ionic equation (3) allow ClK ignore correct charges on KCl & KBr ignore state symbols even if incorrect	(3) A02-1

Question number	Answer	Additional guidance	Mark
8(e)	-467 kJ mol ⁻¹ with or without working scores 4 - bonds broken = $(4 \times 299) + 495 = 1691$ (1) - bonds made = $(4 \times 464) + (2 \times 151) = 2158$ (1) - energy change = $1691 - 2158$ (1) = -467 kJ mol⁻¹ (1)	-467 without correct unit scores 3, +467 without correct unit scores 2 allow ecf throughout ignore sign / unit ignore sign / unit allow answers without positive sign where appropriate ecf, answer including sign and unit needed if no sign, assume it is positive	(4) A02-1

Total for Question 8 = 12 marks

Question number	Answer	Additional guidance	Mark
9(a)	0.0035 or 3.5×10^{-3}	allowable answers 0.0034, 3.4×10^{-3} , 0.0036 or 3.6×10^{-3}	(1) A03-1

Question number	Answer	Additional guidance	Mark
9(b)(i)	$\frac{(0.68 + 0.78 + 0.41)}{3} = 0.6233 \text{ (mg dm}^{-3}\text{)} \text{ (1)}$	answer = 0.6233333 allow 2 or more significant figures	(1) A01-2

Question number	Answer	Additional guidance	Mark
9(b)(ii)	$\frac{6.47}{1000} = 0.00647 \text{ g sodium ions in } 1 \text{ dm}^3 \text{ (1)}$ then either $\frac{0.00647}{23} = 2.81... \times 10^{-4} \text{ mol sodium ions in } 1 \text{ dm}^3 \text{ (1)}$ volume = $\frac{3.00}{2.81 \times 10^{-4}} = 10664.6(0587) \text{ dm}^3 \text{ (1)}$ or $23 \times 3 = 69 \text{ (1)}$ volume = $\frac{69}{0.00647} = 10664.6(0587) \text{ dm}^3 \text{ (1)}$	10664.6(0587) with or without working (3) (to at least 3 sig figs) allow ecf throughout allow with working $\frac{6.47 \times 23}{1000} = 0.14881 / 0.149 \text{ (1)}$ $3/6.47 = 0.46368 / 0.4637 / 0.464 \text{ (1)}$ $10.66 / 10.7 \text{ (2)}$ $23/0.00647 = 3554.87 \text{ (2)}$	(3) A02-2





Question number	Answer	Additional guidance	Mark
9(c)	A description including (dissolve the solids and) add {sodium / potassium} hydroxide solution (1) - white precipitate/solid forms (1) - aluminium (hydroxide) precipitate does dissolve in excess sodium hydroxide - calcium (hydroxide) precipitate does not dissolve in excess sodium hydroxide (1)	please read the whole answer first. Testing for chloride ion BEFORE the metal ions: If candidate has described a test to identify the chloride AND THEN used a fresh sample of the solids to identify the Al^{3+} and Ca^{2+}, then IGNORE the halide test. If candidate has described a test to identify the chloride BUT then adds NaOH(aq) (to identify the metal ions) to the mixture, score 0. Testing for chloride ion AFTER the metal ions: No change to marking adding incorrect reagent eg dil HCl score 0 for whole answer Note : observations of EACH test are required to score MP3 and MP4 Flame test: clean the flame test wire / use of damp wood splint (1) description of flame test : hold in {blue / hottest part of} flame (1) calcium chloride would give a orange-red / brick-red / dull red flame colour (1) aluminium chloride – no flame colour (1)	(4) AO1-2

Question number	Answer	Additional guidance	Mark
9(d)	overall conclusion: solution contains carbonate (ions) AND does not contain bromide (ions) (1) and any two of (conclusion from test 1) - precipitate <u>could be</u> silver carbonate or silver bromide (conclusion from test 2) - fizzing is carbon dioxide (1) - carbonate has reacted with acid (1)	allow precipitate (in test 1) is silver carbonate (1) allow halide ion in place of bromide ion in MP1 do not allow bromine ions Allow acid reacts with carbonate to form CO₂ allow acid removes carbonate ions	(3) A01-2

Total for Question 9 = 12 marks

Question number	Answer	Mark
10(a)(i)	D warm temperature, yeast is the only correct answer A and C are not correct because an iron catalyst is not used; B is not correct because the temperature is too hot	(1) A01-2

Question number	Answer	Additional guidance	Mark
10(a)(ii)	$C_{12}H_{24}O_{12} \rightarrow 4\{C_2H_5OH / CH_3CH_2OH / C_2H_6O\} + 4CO_2$ (2) both product formulae and no other (1) balancing correct formulae (1)	allow elements in any order ignore any brackets	(2) A02-1

Question number	Answer	Additional guidance	Mark
10(b)	 (2) or  (1) rest of repeating unit correct (1)	allow any orientation around C-C bond eg  (2) (2) Ignore brackets around repeat unit allow side chain as CO₂CH₃ or OCOCH₃ or CH₃COO or C₂H₃O₂ (or in any order) allow bond from C to anywhere on side chain, eg  ignore presence of 'n' to lower right of repeat unit	(2) A01-1

Question number	Indicative content	Mark
*10(c)	Answers will be credited according to candidate's deployment of knowledge and understanding of the material in relation to the qualities and skills outlines in the generic mark scheme. The indicative content below is not prescriptive and candidates are not required to include all the material which is indicated as relevant. Additional content included in the response must be scientific and relevant. AO2 (3 marks) AO3 (3 marks) ADVANTAGES OF BAMBOO NAPPIES • plants absorb carbon dioxide when growing • plants are renewable • not made from non-renewable crude oil • decompose more quickly than disposable nappies DISADVANTAGES OF BAMBOO NAPPIES • uses water to wash • uses energy to heat washing water • not as absorbent as disposable nappies ADVANTAGES OF DISPOSABLE NAPPIES • very absorbent • can be disposed of after one use • do not need to be washed • easier to fit child as range of sizes DISADVANTAGES OF DISPOSABLE NAPPIES • cannot be reused • made from non-renewable crude oil resource • very slow to / do not decompose in land fill EXPERIMENT • measure mass of nappy on balance • add water in measured amounts • keep adding water until no more absorbed	(6) AO2-1 AO3-3

Level	Mark	Descriptor	Additional Guidance
	0	No rewardable material.	Read whole answer and ignore all incorrect material/ discard any contradictory material then: eg Bamboo nappies are made from fast growing plants (0)
Level 1	1–2	<u>Additional Guidance</u> ONLY give ONE way that bamboo is better OR worse than disposable nappies OR ONLY describes how to test for absorbency	<u>Possible candidate response</u> (information from question) – identified as advantage/disadvantage (1) – impact (1) - Outline method which may not yield results
Level 2	3–4	<u>Additional Guidance</u> Explains ways in which bamboo is better OR worse than disposable nappies OR gives a simple method on how to test for absorbency.	<u>Possible candidate response</u> (information from question) – identified as advantage/disadvantage – impact – explained/reasoned - compared with other type of nappy for upper end of this level - outline method which yields some results
Level 3	5–6	<u>Additional Guidance</u> Gives ways in which bamboo is better AND worse than disposable nappies AND gives a quantitative method on how to test for absorbency.	<u>Possible candidate response</u> (Several pieces of information from question) – identified as advantage/disadvantage – impact – explained/reasoned - compared with other type of nappy for upper end of this level - described method which yield quantitative results / identified independent & dependent variables

Level	Mark	Descriptor
	0	No rewardable material.
Level 1	1–2	- The explanation attempts to link and apply knowledge and understanding of scientific ideas, flawed or simplistic connections made between elements in the context of the question. (AO2) - Analyses the scientific information but understanding and connections are flawed. An incomplete plan that provides limited synthesis of understanding. (AO3)
Level 2	3–4	- The explanation is mostly supported through linkage and application of knowledge and understanding of scientific ideas, some logical connections made between elements in the context of the question. (AO2) - Analyses the scientific information and provides some logical connections between scientific enquiry, techniques and procedures. A partially completed plan that synthesises mostly relevant understanding, but not entirely coherently. (AO3)
Level 3	5–6	- The explanation is supported throughout by linkage and application of knowledge and understanding of scientific ideas, logical connections made between elements in the context of the question. (AO2) - Analyses the scientific information and provide logical connections between scientific concepts throughout. A well-developed plan that synthesises relevant understanding coherently. (AO3)

Total for Question 10 = 11 marks

