

A Level Paper 1 - June 2025

June 2025 exam series

QUESTION PAPER

Provided for free student revision by Smart Edge International Ltd.
Original material copyright Edexcel and its licensors. SmartEdge is not
affiliated with or endorsed by Edexcel. For personal study only.
Not for resale or redistribution.

Please check the examination details below before entering your candidate information

Candidate surname		Other names	
Centre Number		Candidate Number	

Pearson Edexcel Level 3 GCE

Tuesday 10 June 2025

Morning (Time: 1 hour 45 minutes)	Paper reference	9CH0/01
-----------------------------------	-----------------	----------------

Chemistry

Advanced

PAPER 1: Advanced Inorganic and Physical Chemistry

You must have: Scientific calculator, Data Booklet, ruler	Total Marks
---	-------------

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
– *there may be more space than you need.*

Information

- The total mark for this paper is 90.
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*
- For the question marked with an **asterisk** (*), marks will be awarded for your ability to structure your answer logically, showing how the points that you make are related or follow on from each other where appropriate.
- A Periodic Table is printed on the back cover of this paper.

Advice

- Read each question carefully before you start to answer it.
- Show all your working in calculations and include units where appropriate.
- Check your answers if you have time at the end.

Turn over ►

P77832A

©2025 Pearson Education Ltd.
Y:1/1/1/



Answer ALL questions.

Some questions must be answered with a cross ☐. If you change your mind about an answer, put a line through the box ☐ and then mark your new answer with a cross ☐.

- 1 The table shows data for the three stable isotopes of argon.

Isotope	Relative isotopic mass	Percentage abundance
^{36}Ar	35.97	0.337
^{38}Ar	37.96	0.063
^{40}Ar	39.96	99.600

- (a) State what is meant by the term 'relative isotopic mass'.

(2)

.....

.....

.....

.....

.....

- (b) State what is meant by the term 'isotope'.

Illustrate your answer by referring to the numbers of sub-atomic particles in these isotopes of argon.

(2)

.....

.....

.....

.....

.....



(c) Calculate the relative atomic mass of argon.
Give your answer to **two** decimal places.

(2)

(Total for Question 1 = 6 marks)

DO NOT WRITE IN THIS AREA




2 This question is about some trends in properties of elements and compounds.

- (a) The trend in the first ionisation energies for some of the first eleven elements is shown.

Complete the graph by including the points for nitrogen, oxygen, and sodium.

(3)



- (b) Explain why the first ionisation energy of beryllium is higher than the first ionisation energy of both lithium and boron.

(4)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....



- (c) Write the equation for the **second** ionisation energy of beryllium.
Include state symbols.

(1)

- (d) Which orbital is an electron removed from during the second ionisation of calcium?

(1)

- ☐ **A** 3s
☐ **B** 3p
☐ **C** 4s
☐ **D** 4p

- (e) Which of these isoelectronic ions has the **largest** ionic radius?

(1)

- ☐ **A** S^{2-}
☐ **B** Cl^{-}
☐ **C** K^{+}
☐ **D** Ca^{2+}

(f) Discuss the reasons for the differences between the boiling temperatures of the compounds in the table.
Refer to intermolecular forces in your answer.
Detailed descriptions of how these forces arise are not required.

(6)

Compound	Boiling temperature / K
water (H ₂ O)	373
hydrogen fluoride (HF)	293
hydrogen chloride (HCl)	188
hydrogen iodide (HI)	238

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA

Handwriting practice area with 30 horizontal dotted lines.

(Total for Question 2 = 16 marks)



- 3 A student carried out an investigation to determine indirectly the enthalpy change for the thermal decomposition of calcium carbonate. The reaction equation is shown.




- (a) State why the enthalpy change for the thermal decomposition of calcium carbonate cannot be determined directly.

(1)

- (b) The student placed a known mass of calcium carbonate in a polystyrene cup. 30.0 cm^3 of hydrochloric acid of concentration 3.00 mol dm^{-3} was added. The mixture was stirred, and the highest temperature reached was recorded.

The equation for the reaction is shown.



- (i) Complete the missing data in the table for Reaction 2.

(1)

Measurement	Value
Mass of weighing boat with calcium carbonate / g	4.30
Mass of weighing boat after emptying out calcium carbonate / g	0.20
Mass of calcium carbonate used / g	
Temperature at the start / °C	19.0
Highest temperature / °C	
Temperature change / °C	5.5

- (ii) 0.041 mol of $\text{CaCO}_3(\text{s})$ was used in the experiment.

Show, by calculation, that the hydrochloric acid is in excess for Reaction 2.

(2)



- (iii) Calculate the enthalpy change, $\Delta_r H_2$, for Reaction 2 in kJ mol^{-1} .
Include a sign in your answer.

[Assume the specific heat capacity of the solution = $4.18 \text{ J g}^{-1} \text{ }^\circ\text{C}^{-1}$
and the mass of the solution = 30 g]

(3)

- (iv) The student carried out a similar procedure with calcium oxide.
The enthalpy change, $\Delta_r H_3$, calculated for Reaction 3 was $-176.3 \text{ kJ mol}^{-1}$.




Complete the enthalpy cycle.

Include the correct substances with state symbols in the lower box.

Add an appropriately labelled arrow.

(2)



- (v) Calculate a value for the enthalpy change $\Delta_r H_1$ for the thermal decomposition
of calcium carbonate by using your cycle.

(1)

(c) A data book value for the thermal decomposition of calcium carbonate, $\Delta_r H^\ominus$ (Reaction 1), under standard conditions is $+178.2 \text{ kJ mol}^{-1}$.

- (i) Deduce the feasibility of the thermal decomposition of calcium carbonate at 298 K using the data in the table.

(3)

Compound	Entropy / $\text{JK}^{-1} \text{mol}^{-1}$
calcium carbonate, $\text{CaCO}_3(\text{s})$	92.9
calcium oxide, $\text{CaO}(\text{s})$	39.7
carbon dioxide, $\text{CO}_2(\text{g})$	213.6

- (ii) Calculate the **minimum** temperature, in $^\circ\text{C}$, at which thermal decomposition would occur.
Give your answer to 3 significant figures.

(2)



(d) Explain why magnesium carbonate undergoes thermal decomposition at a **lower** temperature than calcium carbonate. (3)

DO NOT WRITE IN THIS AREA

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....

(Total for Question 3 = 18 marks)

DO NOT WRITE IN THIS AREA



- 4 Ethanol is made industrially by the reaction of ethene and steam.
The equation is shown.



The catalyst used is phosphoric acid, H_3PO_4 , which is bound to a solid silicon dioxide support.

90.0 mol of ethene and 54.0 mol of steam are mixed in a sealed reactor at 500 K.
At equilibrium, the total pressure is 60.0 atm and 5% of the ethene has been converted into ethanol.

- (a) Calculate the value of K_p at this temperature.
Include the expression for K_p and units as appropriate.

(5)



(b) (i) It is proposed to increase the pressure in the reactor to 70.0 atm.

Explain the effect this change would have on the yield of ethanol by referring to the equilibrium.

(2)

(ii) Which of these factors would change the value of K_p ?


(1)

- ☐ **A** using a different catalyst
- ☐ **B** increasing the pressure
- ☐ **C** decreasing the temperature
- ☐ **D** increasing the volume of the reaction vessel

(Total for Question 4 = 8 marks)

5 This question is about acids and bases.

(a) The reaction of nitric acid with water can be represented by the equation shown.



Which is a conjugate acid–base pair for the reaction?

(1)

	Acid	Conjugate base
☐ A	HNO_3	H_2O
☐ B	NO_3^-	HNO_3
☐ C	H_3O^+	H_2O
☐ D	H_2O	H_3O^+

(b) State the expression that defines the pH of a solution.

(1)

(c) What is the concentration of $\text{OH}^-(\text{aq})$ ions, in mol dm^{-3} , in a solution of $\text{Ba}(\text{OH})_2(\text{aq})$ with $\text{pH} = 9.50$ at 298 K ?

(1)

- ☐ **A** 3.16×10^{-10}
- ☐ **B** 3.16×10^{-5}
- ☐ **C** 6.32×10^{-5}
- ☐ **D** 3.16×10^4

(Total for Question 5 = 3 marks)



6 This question is about transition metals.

(a) (i) Which pair of electronic configurations is correct?

(1)

	Cr	Cr ³⁺
☐ A	[Ar] 3d ⁴ 4s ²	[Ar] 3d ¹ 4s ²
☐ B	[Ar] 3d ⁵ 4s ¹	[Ar] 3d ¹ 4s ²
☐ C	[Ar] 3d ⁴ 4s ²	[Ar] 3d ³
☐ D	[Ar] 3d ⁵ 4s ¹	[Ar] 3d ³

(ii) State why chromium is classified as a transition metal.

(1)

(b) (i) Draw the structure of the complex ion, [Cr(H₂O)₆]³⁺(aq), showing clearly its 3-dimensional shape, and the bonds between the chromium ion and the water ligands.

(2)

(ii) Name the **shape** of the [Cr(H₂O)₆]³⁺(aq) complex ion.

(1)

- (c) Write **two ionic** equations which demonstrate the amphoteric nature of chromium(III) hydroxide $[\text{Cr}(\text{OH})_3(\text{H}_2\text{O})_3]$. Include state symbols.

(3)

- (d) Name the type of reaction that occurs when chromium(III) hydroxide reacts with excess aqueous ammonia.

(1)

- (e) (i) Explain why aqueous solutions of $[\text{Cr}(\text{H}_2\text{O})_6]^{3+}$ are coloured.

(4)



- (ii) Give the reason why the solutions of $[\text{Cr}(\text{H}_2\text{O})_6]^{3+}$ and $[\text{CrCl}_4]^-$ are **different** colours.


(1)

.....

.....

.....

- (f) The standard electrode potentials for two half-cell reactions are shown.



- (i) Write the overall equation for the reaction of chromium(III) hydroxide with hydrogen peroxide in alkaline conditions to form chromate(VI) ions.
State symbols are not required.

(2)

- (ii) Calculate the $E^\ominus_{\text{cell}}$ for this reaction.
Include a reason whether or not the reaction is thermodynamically feasible.

(2)

.....

.....



(iii) Which is a correct statement about $E_{\text{cell}}^{\ominus}$?

(1)

- ☐ **A** $E_{\text{cell}}^{\ominus}$ is directly proportional to $\ln K$
- ☐ **B** $E_{\text{cell}}^{\ominus}$ is directly proportional to ΔS_{system}
- ☐ **C** $E_{\text{cell}}^{\ominus}$ is directly proportional to $\ln \Delta S_{\text{total}}$
- ☐ **D** $E_{\text{cell}}^{\ominus}$ is directly proportional to K

(Total for Question 6 = 19 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



7 This question is about lattice energy.

(a) Which statement defines the lattice energy of an ionic solid?

(1)

- ☐ **A** the energy absorbed when 1 mol of an ionic substance is formed from its gaseous ions
- ☐ **B** the energy change when 1 mol of an ionic substance is formed from its elements in their standard states
- ☐ **C** the energy change when 1 mol of an ionic substance is formed from its gaseous ions
- ☐ **D** the energy absorbed when 1 mol of an ionic substance is formed from its elements in their standard states

(b) Which substance has the lattice energy with the most exothermic value?

(1)

- ☐ **A** NaCl
- ☐ **B** NaI
- ☐ **C** KCl
- ☐ **D** KI

(c) Which ionic solid would have the greatest difference between the theoretical and experimental lattice energies?

(1)

- ☐ **A** NaCl
- ☐ **B** NaI
- ☐ **C** KCl
- ☐ **D** KI

(Total for Question 7 = 3 marks)

***8** Compare and contrast the mechanisms of the catalysts in the table. Illustrate your answer with equations that demonstrate the redox reactions involved.

(6)

Catalyst	Catalysed reaction
$\text{V}_2\text{O}_5(\text{s})$	$\text{SO}_2(\text{g}) + \frac{1}{2}\text{O}_2(\text{g}) \rightarrow \text{SO}_3(\text{g})$
$\text{Fe}^{2+}(\text{aq})$	$\text{S}_2\text{O}_8^{2-}(\text{aq}) + 2\text{I}^{-}(\text{aq}) \rightarrow \text{I}_2(\text{aq}) + 2\text{SO}_4^{2-}(\text{aq})$

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Handwriting practice area with 30 horizontal dotted lines.

(Total for Question 8 = 6 marks)



- 9 Some hand sanitisers contain hydrogen peroxide (H_2O_2) as an active ingredient. The World Health Organization recommends that the concentration of H_2O_2 is between 3.0% and 6.0% by mass.

A higher concentration results in the hand sanitiser being caustic.

A lower concentration means the sanitiser would not be effective.

A sample of a colourless hand sanitiser of density 0.82 g cm^{-3} was analysed.

10.00 cm^3 of the sanitiser was dissolved in deionised water to give a total volume of 250.0 cm^3 . An acidified solution of potassium manganate(VII) with a concentration of $0.0200 \text{ mol dm}^{-3}$ was titrated against a 25.00 cm^3 sample of the diluted hand sanitiser solution.

- (a) The results of four titrations are shown in the table.

Complete the table by calculating the missing values.

(1)

Titration number	1	2	3	4
Final burette reading / cm^3	15.90	24.00	15.30	25.00
Initial burette reading / cm^3	0.00	8.45	0.05	
Titre / cm^3	15.90	15.55		15.65

- (b) The mean titre was calculated to be 15.60 cm^3 .

State how this value was determined.

(1)

.....


.....

.....

.....



- (c) The ionic equation for the titration reaction is shown.



State the colour change that would be seen in the **flask** at the end-point of this titration.

(2)

From to

- (d) Deduce by calculation whether the concentration of hydrogen peroxide in the hand sanitiser is within World Health Organization guidelines.

(5)



- (e) The uncertainty in the pipette volume is $\pm 0.04 \text{ cm}^3$. The uncertainty in each burette reading is $\pm 0.05 \text{ cm}^3$.

Calculate the percentage uncertainties for the pipette volume of 25.00 cm^3 and the burette volume of 15.55 cm^3 for titre 2.

(2)

(Total for Question 9 = 11 marks)

TOTAL FOR PAPER = 90 MARKS



DO NOT WRITE IN THIS AREA

BLANK PAGE



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE



28

smartedgestudy.com

DO NOT WRITE IN THIS AREA