

# Paper 2

June 2025 exam series

**QUESTION PAPER**

---

Provided for free student revision by Smart Edge International Ltd.  
Original material copyright AQA and its licensors. SmartEdge is not  
affiliated with or endorsed by AQA. For personal study only.  
Not for resale or redistribution.



Please write clearly in block capitals.

Centre number 

|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|--|--|--|--|--|

Candidate number 

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|--|--|--|--|

Surname \_\_\_\_\_

Forename(s) \_\_\_\_\_

Candidate signature \_\_\_\_\_

I declare this is my own work.

# A-level MATHEMATICS

## Paper 2

Thursday 12 June 2025

Afternoon

Time allowed: 2 hours

### Materials

- You must have the AQA Formulae for A-level Mathematics booklet.
- You should have a graphical or scientific calculator that meets the requirements of the specification.

### Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- You must answer each question in the space provided for that question.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do **not** write outside the box around each page or on blank pages.
- Show all necessary working; otherwise marks for method may be lost.
- Do all rough work in this book. Cross through any work that you do not want to be marked.

### Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 100.

### Advice

- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- You do not necessarily need to use all the space provided.

| For Examiner's Use |      |
|--------------------|------|
| Question           | Mark |
| 1                  |      |
| 2                  |      |
| 3                  |      |
| 4                  |      |
| 5                  |      |
| 6                  |      |
| 7                  |      |
| 8                  |      |
| 9                  |      |
| 10                 |      |
| 11                 |      |
| 12                 |      |
| 13                 |      |
| 14                 |      |
| 15                 |      |
| 16                 |      |
| 17                 |      |
| 18                 |      |
| 19                 |      |
| <b>TOTAL</b>       |      |



G/LM/Jun25/G4006/E8

7357/2

**Section A**Answer **all** questions in the spaces provided.

- 1** Describe the single transformation which maps the curve with the equation

$$y = \ln x$$

onto the curve with the equation

$$y = 2 \ln x$$

Tick (✓) **one** box.

**[1 mark]**

Stretch, scale factor 2, parallel to the  $y$ -axis

☐

Stretch, scale factor  $\frac{1}{2}$ , parallel to the  $x$ -axis

☐

Translation  $\begin{bmatrix} 2 \\ 0 \end{bmatrix}$

☐

Translation  $\begin{bmatrix} 0 \\ 2 \end{bmatrix}$





☐


2 One of the diagrams below shows the graph of  $y = \operatorname{cosec} x^\circ$  for  $0 \leq x \leq 360$

Identify the correct graph.

Tick (✓) **one** box.

[1 mark]




Turn over for the next question

Turn over ►



3

The diagram shows the graph with equation  $y = (x + 2)(x - 7)$



Solve the inequality.

$$(x + 2)(x - 7) > 0$$

Tick (✓) **one** box.

[1 mark]

$$x \in (-\infty, -2) \cap (7, \infty)$$

☐

$$x \in (-\infty, -2) \cup (7, \infty)$$

☐

$$x \in (-\infty, -2] \cap [7, \infty)$$

☐

$$x \in (-\infty, -2] \cup [7, \infty)$$

☐


0 4

4 Solve the equation

$$5^{x-1} = 20$$

Give your answer in an exact form.

**[2 marks]**

---

---

---

---

---


---

**Turn over for the next question**

**Turn over ►**



- 5 The diagram shows a sector  $AOB$  of a circle with centre  $O$  and radius 8 cm.



The angle  $AOB$  is 1.4 radians.

Find the area of the sector.

[2 marks]

---

---

---

---

---

---



**Turn over for the next question**

*Do not write  
outside the  
box*


**DO NOT WRITE ON THIS PAGE  
ANSWER IN THE SPACES PROVIDED**

**Turn over ►**



G/Jun25/7357/2

- 6 The curve with equation  $y = \frac{e^{\frac{x}{2}}}{x-3}$  is shown in the diagram.



The region shaded is bounded by the curve, the  $x$ -axis, and the lines  $x = 4$  and  $x = 8$

The trapezium rule with six ordinates (5 strips) is to be used to find an approximate value for the area of the shaded region.

Some of the values required to obtain this approximation are shown in the table below.

| $x$ | 4      | 4.8    | 5.6    | 6.4 | 7.2    | 8       |
|-----|--------|--------|--------|-----|--------|---------|
| $y$ | 7.3891 | 6.1240 | 6.3249 |     | 8.7139 | 10.9196 |

- 6 (a) (i) Find the  $y$ -value that is missing from the table.

[1 mark]

---



---



---



- 6 (a) (ii)** Use the trapezium rule with six ordinates (5 strips) to find an approximate value for the area of the shaded region.

Give your answer to **five** significant figures.

**[3 marks]**

---

---

---

---

---

---

---

---

---

---

- 6 (b)** A student finds an improved approximation for the area of the shaded region by using the trapezium rule with 11 ordinates.

The student correctly obtains 29.759 as their improved approximation.

The student claims that the exact area must be greater than 29.759

Without further calculation, explain whether or not the student is correct.

**[2 marks]**

---

---

---

---

---

---

---

**Turn over ►**



**7** The point  $A$  lies on the curve with equation

$$y = x^3 + px^2 + qx + 12$$

**7 (a)** Given that  $A$  has coordinates  $(-5, 37)$ , show that

$$5p - q = 30$$

**[2 marks]**

---

---

---

---

---

---

**7 (b)** Given that  $A$  is a stationary point, show that

$$10p - q = 75$$

**[3 marks]**

---

---

---

---

---

---

---

---

---

---



**[1 mark]**

---

---

---

$$y = x^3 + px^2 + qx + 12$$

Fully justify your answer.

**[3 marks]**

[illegible]

**Turn over ►**



**8 (a)** Given that  $\cos x \neq 0$  state the value of  $\sec^2 x - \tan^2 x$

**[1 mark]**

---



---



---

**8 (b)** Show that

$$(3\sec x + 5\tan x)(5\sec x - 3\tan x) - \frac{16\tan x}{\cos x} = N$$

where  $N$  is an integer to be found.

**[4 marks]**

---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



- 8 (c)** State the **two** values of  $x$  between  $0^\circ$  and  $360^\circ$  for which the value of  $N$  in part **(b)** is **not** valid.

[1 mark]

---

---

---

Turn over for the next question

Turn over ►




- 9** A circle with centre  $C$  has equation

$$(x - 12)^2 + (y - 2)^2 = 100$$

The graph with equation

$$y = |3x - 36| - 8$$

intersects the circle at the points  $A$ ,  $B$  and  $D$  as shown in the diagram.



Point  $D$  is vertically below point  $C$

- 9 (a)** State the coordinates of  $C$

[1 mark]

---



---



---

- 9 (b)** State the coordinates of  $D$

[1 mark]

---



---



---



**9 (c)** The coordinates of  $A$  are  $(a, 10)$

Find the value of  $a$

Fully justify your answer.

**[3 marks]**

---

---

---

---

---

---

---

---

**9 (d) (i)** Find, in radians, the angle  $ADB$

Give your answer to **three** significant figures.

**[2 marks]**

---

---

---

---

---

**9 (d) (ii)** Hence or otherwise find the length of the minor arc  $AB$

Give your answer to **three** significant figures.

**[2 marks]**

---

---

---

---

**Turn over ►**



**10** A curve  $C$  has equation

$$y = x^k \ln x \text{ for } x > 0$$

where  $k$  is a positive integer.

**10 (a)** Show that

$$\frac{dy}{dx} = x^{k-1} [A + k \ln x]$$

where  $A$  is a constant to be found.

**[4 marks]**

---

---

---

---

---

---

---

---

---

---

**10 (b)** Hence show that the  $y$ -coordinate of the stationary point of  $C$  can be written as  $-\frac{1}{ke}$

Fully justify your answer.

**[5 marks]**

---

---

---

---

---

---



---

---

---

---

---

---

---

---

---

---

**10 (c)** Given that the stationary point of  $C$  has coordinates  $\left(\frac{1}{e}, -\frac{1}{e}\right)$  state the value of  $k$

**[1 mark]**

---

---

---

**10 (d)** Prove that  $C$  does **not** have a point of inflection.

**[3 marks]**

---

---

---

---

---

---

---

---

---

---

---

---

**TURN OVER FOR SECTION B**

**Turn over ►**



**Section B**

Answer **all** questions in the spaces provided.


- 11** An object is pulled along a horizontal surface. The normal reaction between the surface and the object is 125 newtons.
- The object experiences a constant frictional force of 40 newtons.
- Find the value of the coefficient of friction.
- Circle your answer.
- [1 mark]**
- 0.245                      0.32                      0.5                      3.125



12

A particle moves in a straight line for 8 seconds.

The velocity  $v$ , in  $\text{m s}^{-1}$ , of the particle at time  $t$  seconds is shown in the diagram.



Find the displacement, in metres, of the particle after 8 seconds.

Circle your answer.

[1 mark]

−12

0

6

12

Turn over for the next question

Turn over ►



- 13** A car moves, in a straight line on a horizontal road, from a point  $A$  to a point  $B$
- The distance  $AB$  is 225 metres.
- At the point  $B$ , the velocity of the car is  $30 \text{ m s}^{-1}$
- The car is modelled as having a constant acceleration of  $2 \text{ m s}^{-2}$

- 13 (a)** Show that the car starts from rest at point  $A$

**[2 marks]**

---

---

---

---

---

---

- 13 (b)** The car continues to move past the point  $B$  in the same straight line.
- Explain why the model would eventually become invalid.

**[1 mark]**

---

---

---



14


**In this question use  $g = 9.8 \text{ m s}^{-2}$**

An arrow is projected from a point  $P$  which is at a height of 2.5 metres above the horizontal ground.

The arrow has an initial velocity of  $\begin{bmatrix} 40 \\ 25 \end{bmatrix} \text{ m s}^{-1}$

The arrow lands on the horizontal ground at a point Q

The path of the arrow is shown in the diagram.



Find the **speed** of the arrow at point Q

**[4 marks]**

[illegible]

**Turn over ►**





---

---

---

**15 (c)** A third force,  $\mathbf{F}_3$ , acts upon the particle so that the particle is in equilibrium.

**15 (c) (i)** State the magnitude of  $\mathbf{F}_3$

**[1 mark]**

---

---

---

**15 (c) (ii)** State the bearing on which  $\mathbf{F}_3$  acts.

**[1 mark]**

---

---

---

**Turn over for the next question**

**Turn over ►**




16

**In this question use  $g = 9.8 \text{ m s}^{-2}$**

A sledge is pulled in a straight line up a rough path, as shown in the diagram.

The path is inclined at an angle of  $20^\circ$  to the horizontal.

The sledge is pulled by a light, inextensible rope inclined at an angle of  $30^\circ$  to the path.



The mass of the sledge is 10 kilograms.

**16 (a)**

In one model, the sledge moves at a constant speed and experiences a combined resistance force of 15 newtons.

Find the tension in the rope for this model.

**[4 marks]**

[illegible]

Find the acceleration of the sledge for this model.

**[7 marks]**

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

**[1 mark]**

---

**Turn over ►**



- 17** A triangle has vertices  $A$ ,  $B$  and  $C$  with position vectors given by

$$\vec{OA} = \begin{bmatrix} -3 \\ 5 \\ 1 \end{bmatrix}, \quad \vec{OB} = \begin{bmatrix} 5 \\ 4 \\ -2 \end{bmatrix} \quad \text{and} \quad \vec{OC} = \begin{bmatrix} 1 \\ -1 \\ 0 \end{bmatrix}$$

- 17 (a) (i)** Find  $\vec{AB}$

**[1 mark]**

---

---

---

---

---

---

---

- 17 (a) (ii)** Find the magnitude of  $\vec{AB}$

**[1 mark]**

---

---

---

- 17 (b)** Hence show that triangle  $ABC$  is a scalene triangle.

**[5 marks]**

---

---

---

---

---

---

---

---

---

---



Do not write  
outside the  
box

---

---

---

---

---

---

---

Turn over for the next question

Turn over ►



**18** In this question use  $g = 9.81 \text{ m s}^{-2}$

A uniform platform  $AD$  has length 2.5 metres and weight 400 newtons.

The platform is attached to a chain at A. The other end of the chain is fixed to the floor.

The platform rests on a support at a point  $B$  which is 0.6 metres from  $A$

The support exerts an upwards reaction force on the platform.

A child of mass 30 kilograms stands at a point C

The point  $C$  is 0.2 metres from  $D$ , as shown in the diagram.



The system is in equilibrium with the platform resting horizontally.

**18 (a)** By taking moments about  $A$ , find the reaction force at  $B$

**[4 marks]**

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

**18 (b) (i)** The child moves from  $C$  to  $B$

State what happens to the reaction force at  $B$  during this movement.

**[1 mark]**

---

---

---

**18 (b) (ii)** Having reached  $B$ , the child steps off the platform.

State what happens to the tension in the chain during this movement.

**[1 mark]**

---

---

---

**Turn over for the next question**

**Turn over ►**



2 9

G/Jun25/7357/2

- 19** The displacement,  $\mathbf{s}$  metres, of a particle  $P$ , at time  $t$  seconds, is given by

$$\mathbf{s} = (2t^3)\mathbf{i} + (2t^2 + qt)\mathbf{j}$$

- 19 (a)** Find an expression for the velocity of particle  $P$  after  $t$  seconds.

**[2 marks]**

---

---

---

---

---

---

- 19 (b)** The acceleration,  $\mathbf{a} \text{ m s}^{-2}$ , of a particle  $Q$ , at time  $t$  seconds, is given by

$$\mathbf{a} = 6t\mathbf{i} + 7\mathbf{j}$$

Particle  $Q$  has an initial velocity of  $4\mathbf{j} \text{ m s}^{-1}$

Particles  $P$  and  $Q$  are moving parallel to each other when  $t = 2$

Find the value of  $q$

**[6 marks]**

---

---

---

---

---

---

---

---

---

---

---

---



Do not write  
outside the  
box

---

---

---

---

---

---

---

---

---

END OF QUESTIONS



There are no questions printed on this page

Do not write  
outside the  
box

DO NOT WRITE ON THIS PAGE  
ANSWER IN THE SPACES PROVIDED



*Do not write  
outside the  
box*

[illegible]

[illegible]

[illegible]

**There are no questions printed on this page**

*Do not write  
outside the  
box*

**DO NOT WRITE ON THIS PAGE  
ANSWER IN THE SPACES PROVIDED**

**Copyright information**

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from [www.aqa.org.uk](http://www.aqa.org.uk).

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2025 AQA and its licensors. All rights reserved.



G/Jun25/7357/2